## CABLE 082 RF: RF CABLE ASSEMBLY, HIROSE U.FL + HIROSE U.FL + MULTIPLE CABLE SIZES

## **SPECIFICATIONS**


1. HIROSE U.FL PLUG P/N:

FOR Ø 1.13MM CABLE: U.FL-LP-068 FOR Ø0.81MM CABLE: U.FL-LP(V)-040 FOR Ø1.32MM CABLE: U.FL-LP-066 FOR Ø1.37MM CABLE: U.FL-LP-088

2. COAXIAL CABLE (SEE CABLE SIZE OPTIONS).

## NOTES:

- 1. THE ORIENTATION OF CONNECTORS ON DRAWING IS FOR REFERENCE ONLY, IF THE ORDER IS LEFT BLANK THE CONNECTOR WILL NOT HAVE FIXED ORIENTATION.
- 2. FIXED ORIENTATION IS SUGGESTED FOR CABLE LENGTH 50MM TO 100MM. PLEASE SPECIFY THE FIXED ORIENTATIONS FROM THE ORDER CODE (F1, F2, ETC)
- 3. CONTACT GRAD CONN IF THE ORIENTATION YOU REQUIRE IS NOT SHOWN.
- 4. WORKING FREQUENCY RANGE: DC-6GHz





## USAGE PRECAUTIONS: CABLES USING 'MICRO' COAX ARE DELICATE:

(i) HANDLE WITH CARE.

(ii) DO NOT TWIST; APPLY EXCESSIVE FORCES OR SHARP BENDS TO THE CABLE. DO NOT FORCEFULLY DEFORM WIRES.

(iii) CONSULT CONNECTOR MANUFACTURER'S DATASHEETS FOR DETAILED NOTES ON HANDLING INSTRUCTIONS.





So.	Scale: NTS	THIRD ANGLE Unstated Tolerances: .X ±0.2	Material
REV. DATE & DRN  10 19/10/9-1NW RELEASE  10 19/10/9-1NW  ADD ROUTS 2, 3.  12 20/30/30 - NW  ADD KULT PLE CABLE SIZE  ADD CABLE OP TION 4.  AND KULT PLE NW  AND KULT PLENGTH TO SO  AND KULT	Drawn: NYW	.XX ±0.1 .XXX ±0.05 ANGLES ±5	SEE NOTE
	App'd: XXX	Title CABLE ASSEMBLY	NOT TO SCALE
	Date: 10 NOV. '17	Revision: 1.4	Unit: mm



Type: Cable 082 RF

CABLE 082 RF

Drawing Number:

www.gradconn.com	Sheet	1	of
WING IS CONFIDENTIAL AND MUST NOT BE	Drawing	0	E and